

Overview: Pending Pima County Service Requests

Request Received: 5/17/2021 Requestor: Ann Redding Telephone: (520) 445-7708 HOA: Canoa Hills Townhomes

Location of Proposed Service: Canoa Hills Trails Park T18S R13E

Service Requested: Repair cart path at Canoa Hills Trails Park. There are two sections of the cart path where the asphalt is getting very bad. One section is between holes 8 & 9 and the other section is after hole 9 on the north side of Pato as you'd be going back to the old club house. I am concerned that someone would trip over these areas if not paying attention. Please contact me if you have any questions.

Pima Co. Contact: Luke Heinzelman Status: Engineer looking into it for FY 2022, AC GVCCC Request#: 2696

Completion Date: No Change as of 7/6/21 LC
No Changes as of 8/3/21 ST
No Changes / still on list 10/5/21 ST
The first section is on the 2022 list for repair ; the second section after hole 9 is not being fixed, on HOA property 11/9/2021 ST
No change 12/7/2021 - LC
No Change 1/3/22 LC
No Change / working with Russ on a start date 3/1/2022 ST
No Change 4/5/22 LC

Request Received: 11/3/2021 Requestor: Galen Schroeder Telephone: HOA: Canoa Hills Townhomes

Location of Proposed Service: Old Cart Path Easements that have been incorporated into the park walking path system 18 R13E 33

Service Requested: PHOTO ATTACHED: Asphalt has deteriorated, creating several serious tripping hazards on the walking path. Service Location #1 and #1 on photo attached

Pima Co. Contact: Luke Heinzelman Status: See SR 2696 - 12/7/21 LC GVCCC Request#: 2776

Completion Date: No Change / working with Rus on Start date 3/1/22 ST
No Change 4/5/22
Work should start around the first of May 5/3/22 ST
No change 6/7/22

Overview: Pending Pima County Service Requests

Request Received: 2/16/2022 Requestor: Tricia Beeler Telephone: 520-648-6730 HOA: Madera Reserve*

Location of Proposed Service: Intersection of E Vault mine CT & S Madera Reserve Drive 18 R13E 13

Service Requested: A resident reported tripping on a raised sidewalk at the corner of E Vault Mine CT & S Madera Reserve Dr. The sidewalk has become a tripping hazard

Pima Co. Contact: Richard Enriquez Status: SCF # 11885416 SR # 22013371 Acknowledged 2/16/2022 ST
Work Order approved on 2/17/22 ST 3/1
No Change 4/4/22 LC
5/3/22 Contractor to finish work ST
Waiting for contactor to be determined. 6/7/22 LC GVCCC Request#: 2800

Completion Date:

Request Received: 2/23/2022 Requestor: Hugh Cox Telephone: HOA: Desert Meadows III

Location of Proposed Service: See Service Requested below T18S R13E 26

Service Requested: Hello. Do you ever make contact with Pima County when trees on county land need trimming to keep them away from power lines? My understanding is that Tucson Electric Power arranges all tree trimming near power lines. But I'm thinking that the county, as a landowner, sometimes might ask TEP to trim some of its trees that have grown too close to power lines.
Here's the situation: About four or five trees growing just south of East Santa Rebecca Drive in Desert Meadows III are very close to the big transmission lines

Pima Co. Contact: Richard Enriquez Status: SCF # 11915822 SR # 22013670 Carol B is contacting flood control, we may have to contact TEP
2/23/2022 ST
Closed 3/1/2022 ST Belongs to Regional Flood Control. RFC Was emailed the information Ref #
DC22-082 ST
3/1/22 Tom Berezny looking into ST
No Change 4/4/22 LC
5/4/22 Tom looking into ST no change
Tom Berezny still need to check on this. 6/7/22 LC GVCCC Request#: 2801

Completion Date:

Overview: Pending Pima County Service Requests

Request Received:	3/2/2022	Requestor:	John McKeon	Telephone:		HOA:	Desert Casitas	
Location of Proposed Service:	Intersection of Camino Del Sol and W Desert Hills Drive					T18S	R13E	28
Service Requested:	South Bound traffic crosses North bound traffic to enter West Desert Hills Drive. There is a "hump" in the median that interferes with the South Bound Driver's view of oncoming traffic, the drivers in cars cannot see around the hump. This is a hazardous intersection. Requesting humps and certain growth in the the medium to be removed. Photo attached with Service Request.							
Pima Co. Contact:	Richard Enriquez	Status:	SCF # 11949797 SR # 22014047 3/2/2022 ST Sent to Analytics 4/4/22 LC 5/3/22 NO Change St No Change 6/7/22 LC			GVCCC Request#:	2804	
Completion Date:								

Request Received:	3/16/2022	Requestor:	Judy Stein	Telephone:	520-203-7651	HOA:	San Ignacio Vistas	
Location of Proposed Service:	Calle Tres and Frontage Road					T19S	R13E	4
Service Requested:	Calle Tres between Camino Del Sol and the Frontage Road has numerous cracks that pose a potential hazard to cyclists, particularly since a cyclist will pick up speed as the road decends towardthe freeway. When returning left onto Calle Tres off the Frontage Road, cyclists encounter dirt and the cracks, which create another hazard. The county has "patched" these cracks several times, but it never really repairs the road sufficiently to minimize the risk. There are only so many ways in and out of Green Valley and for those attempting to get on the frontage road and then go South, Calle Tres is an ongoing problem that Pima County seems to continually ignore.							
Pima Co. Contact:	Richard Enriquez	Status:	3/17/2022 Workorder has been approved 4/4/22 LC Workorder on Hold 5/3/22 ST No Change 6/7/22 LC			GVCCC Request#:	2806	
Completion Date:								

Overview: Pending Pima County Service Requests

Request Received: 4/1/2022 Requestor: Tony Viola Telephone: 520-780-2050 HOA: Portillo Ridge Estates
Location of Proposed Service: 601 N La Canada 18 R13E 10

Service Requested: On The Road in front of the Green Valley Sherriff's office, 601 N La Canada, the trees need to be trimmed away from the road. When White Elephant Drivers drive on that road, the trucks are getting dented and scratched.

Pima Co. Contact: Richard Enriquez Status: SCF # 12116275 SR # 22015669 4/4/2022 ST
Completion Date: 5/3/22 Facility taking care of this ST
No Change 6/7/22 LC GVCCC Request#: 2809

Request Received: 4/26/2022 Requestor: Dan Kutella Telephone: 817-913-2849 HOA: The Legends
Location of Proposed Service: Drainway #23 Under Abrego T18S R13E 27

Service Requested: The drainway needs to be cleaned up of debris and very high weeds. Could cause a flood issue

Pima Co. Contact: Luke Heinzelman Status: Logged in as DC22-171 4/26/22 ST
Completion Date: GVCCC Request#: 2819

Overview: Pending Pima County Service Requests

Request Received: 5/2/2022 Requestor: Hal Harrison Telephone: HOA: Madera Vista Townhouses

Location of Proposed Service: Wash behind 870 W Calle De Emilia T18S R13E 15

Service Requested: A lot of trash (limbs, etc.) in the wash behind 870 W Calle de Emilia.
Could be a fire hazard. Photo attached

Pima Co. Contact: Luke Heinzelman Status: No change 6/7/22 GVCCC Request#: 2823

Completion Date:

Request Received: 5/2/2022 Requestor: Bruce Goad Telephone: 651-238-3780 HOA: Desert Meadows II

Location of Proposed Service: Area behind 1602 S Santa Belia T18S R13E 23

Service Requested: Mr Goad is concerned with the large dead pine trees behind his property and along the alley in the Desert Meadows II area that borders the ADOT easement for the the I19 Frontage Rd. Mr. Goad would like to invoke paragraph 1c of the PC DOT Alley, Drainageway, and Easement Policy, circa 1984, and requests assistance from PC DOT to have the trees removed. The trees that are dead pose a safety and fire hazard.

Pima Co. Contact: Richard Enriquez Status: SCF # 12269711 SR # 22017244 5/3/2022 ST GVCCC Request#: 2824

Completion Date: Tentatively approved, Richard is double checking. 6/7/22 LC

Overview: Pending Pima County Service Requests

Request Received: 5/3/2022 Requestor: Lori Wuollet Telephone: 520-648-6730 HOA: Canoa Ranch Master Association
Location of Proposed Service: Camino Del Sol between W Calle Tres and W Canoa Ranch Dr T19S R13E 8

Service Requested: Camino Del Sol has numerour LARGE cracks across the entire road from W Calle Tres to W Canoa Ranch Drive, that makes it difficult for bicyclists to ride on the road and is difficult for cars suspensions to ride over every day. We are requesting at a minimum, the cracks to be filled in so it is not a safety issue for bicyclists, until the road can be repaved.

Pima Co. Contact: Richard Enriquez Status: SCF # 12276333 SR # 22017323 5/5/2022 ST GVCCC Request#: 2825

Completion Date: Work order approved 5/5/22. 6/7/22 LC

Request Received: 5/3/2022 Requestor: Lori Wuollet Telephone: 520-648-6730 HOA: Madera Reserve*
Location of Proposed Service: S Madera Reserve Drive between E Vault Mine and E Florida Saddle Drive and at E Sylvester Spring T18S R13E 24

Service Requested: Sidewalk lifting on S Madera Reserve Drive between E Valt Mine and E Florida Saddle DR; and also 43 sections north of Sylvester Springs. Both are marked with Pink Sidewalk Marking Spray

Pima Co. Contact: Richard Enriquez Status: SCF # 12276710 SR # 22017335 5/5/2022 ST GVCCC Request#: 2826

Completion Date: Work Approved, awaiting contractor 6/7/22

Overview: Pending Pima County Service Requests

Request Received: 5/12/2022 Requestor: Debbie Kenvon Telephone: 520-846-4907 HOA: Green Valley Council

Location of Proposed Service: Camino Casa Verde Wash T18S R13E 3

Service Requested: The wash along the south side of Camino Casa Verde has an abundance of vegetation and construction debris.

Pima Co. Contact: Richard Enriquez Status: SCF # 12320281 SR # 22017837 5/13/22 ST GVCCC Request#: 2830

Completion Date: Waiting approval for the vegetation. Tom will contact development services on the construction debris issue. 6/7/22 LC

Request Received: 5/16/2022 Requestor: Anthony Gleadhill Telephone: 520-425-7740 HOA: Villages of Green Valley

Location of Proposed Service: 684 W Rio Altar T18S R13E 3

Service Requested: Center area of roadway continually breaking up. Since Rol Altar was repaved a few years ago, this area has been patched at least 2 times. Clearly there is problem beneath the roadway that has never been determined and therefore never fixed. Leaking sewer or water main perhaps. Patching is a waste of time. A newer area 20 feet or so to the NW is also showing signs of breakup. Let's find the root cause of this prblem and fix it for good. PHOTO ATTACHED

Pima Co. Contact: Richard Enriquez Status: SCF # 12336730 SR # 22017971 5/17/2022 ST GVCCC Request#: 2831

Completion Date: Work Order Approved on 5/18. 6/7/22 LC

Overview: Pending Pima County Service Requests

Request Received: 5/16/2022 Requestor: Anthony Gleadhill Telephone: 520-425-7740 HOA: Villages of Green Valley
Location of Proposed Service: 901-927 W Rio Altar T18S R13E 3
Service Requested: **Constant breakup of roadway near cluster mailboxes. This problem has existed for decades requiring repeated patch repairs. Apparently, root cause of problem never determined and therefore never fixed. PHOTO ATTACHED**

Pima Co. Contact: Richard Enriquez Status: SCF # 12337764 SR # 22017987 5/17/2022 ST Work Order Approved 5/18/22. 6/7/22 LC GVCCC Request#: 2832
Completion Date:

Request Received: 5/23/2022 Requestor: Dorene Bransky Telephone: 928-864-6571 HOA: Villages of Green Valley
Location of Proposed Service: 901 W Via Petic T18S R13E 3
Service Requested: **Cross streets: N Rio Sonora and W Rio Alter
Cone left behind from road repair 6 months ago. Please pick up cone.**

Pima Co. Contact: Richard Enriquez Status: SCF # 12382167
The construction cones were there because the side walk is heaving. Waiting on approval to fix the sidewalk. 6/7/22 LC GVCCC Request#: 2835
Completion Date:

Overview: Pending Pima County Service Requests

Request Received: 5/24/2022 Requestor: Sandra Thornton Telephone: 520-648-1548 HOA: Country Club Estates Property Owners
Location of Proposed Service: Abrego and N Paseo Del Cervato, just south of where Paseo De Golf T18S R13E 2
Service Requested: Large Saguaro in the median of Abrego has start to seriously lean to one side. In Danger of falling over.

Pima Co. Contact: Richard Enriquez Status: SCF # 123772914 SR # 22018366 5/24/22 ST
Completion Date: Still investigating issue. 6/7/22 LC GVCCC Request#: 2836

Request Received: 5/24/2022 Requestor: Larry Coffin Telephone: 219-689-2654 HOA: Continental Vistas Property Owners
Location of Proposed Service: West end of Drainageway 13, Just N of Continental Vistas T18S R13E 15
Service Requested: The retaining wall foundation is exposed and there is considerable erosion at the base of the retaining wall along with the south bank of the drainageway. Photos attached are of the retaining wall that looks like it was placed at the west end of Drainageway 13 and east side of properties at 681 S Calle Del Portillo and 735 S Placita Amena.

Pima Co. Contact: Luke Heinzelman Status: Awaiting Response from RFCD. Tom has this one. 6/7/22 LC
Completion Date: GVCCC Request#: 2838

Overview: Pending Pima County Service Requests

Request Received: 5/24/2022 Requestor: Bernard Cogley Telephone: 520-625-6345 HOA: Portillo Hills II Homeowners Assn

Location of Proposed Service: W Placita Inspirada (near Drainageway 9) and S Camino Holgado T18S R13E 15

Service Requested: There is a bench on county property and is set back 20-25 feet from the sidewalk. It is blocked by Cholla and cactus. Would like old bench removed and replaced closer to sidewal so that is usable. Cement Foundation is broken and dangerous.

Pima Co. Contact: Richard Enriquez Status: SCF # 12377402 SR # 22018368 5/24/22 ST Referred to RFCD per Richard. 6/7/22 LC GVCCC Request#: 2839

Completion Date:

Request Received: 5/31/2022 Requestor: Ellen Sussman Telephone: 520-971-5003 HOA:

Location of Proposed Service: 2 medians on N Abrego Drive T18S R13E 11

Service Requested: On two medians North of E Paseo Chuparosa on N Abrego Dr. there are some very large branches that have fallen and are extending on the roadway. On one median past Chuparosa the fallen branch is on the west side of the median, and on the second median North of Chuparosa the fallen branch is on the East side of the median. With changing weather and high winds these branches may cause an accident if they are blown furhter into the roadway.

Pima Co. Contact: Richard Enriquez Status: SCF# 12409092 SR# 22018719 6/1/2022 ST GVCCC Request#: 2840

Completion Date:

Overview: Pending Pima County Service Requests

Request Received: 6/1/2022 Requestor: Roy Berkon Telephone: 615-943-6362 HOA:

Location of Proposed Service: Tunnels under Camino Del Sol T18S R13E 34

Service Requested: Can the tunnells under Camino Del Sol, near W Camino Urbano and W Camino Del Plato be cleaned out with a blower occasionally. When walking you cannot tell if there any snakes, etc. on the pathway. Have been advised by Flood Control that this PDOT as the tunnell is under a county road.

Pima Co. Contact: Richard Enriquez Status: SCF# 12415976 SR# 22018776 6/2/2022 ST GVCCC Request#: 2841

Completion Date:

Request Received: 6/1/2022 Requestor: Paul Williamsen Telephone: 520-237-1629 HOA: Ventura @ Las Campanas

Location of Proposed Service: W of N Desert Bell DR on the North side of W Golden Desert Way T18S R13E 10

Service Requested: A section of sidewalk has heaved from the heat and a Ventura Homeowner tripped and broke her hand about a week ago. On hotter days the offset can be significant. The section of sidewalk needs to be shortened. Lat 31.87344 Long. 111.00525 PHOTO ATTACHED

Pima Co. Contact: Richard Enriquez Status: SCF# 12435222 SR# 22018853 6/3/2022 ST GVCCC Request#: 2842

Completion Date:

Overview: Pending Pima County Service Requests

Request Received: 6/7/2022 Requestor: Nancy Williams Telephone: 503-779-9824 HOA: Portillo Ridge Estates

Location of Proposed Service: Paseo de la lira 18 R13E 15

Service Requested: Section of sidewalk has buckled, causing a homeowner to trip and fall.
The location is 1118 W Paseo del Cantante, which is on the corner of Paseo del Cantante and Paseo de la lira. The buckled sidewalk is on Paseo de la lira.

Pima Co. Contact: Richard Enriquez Status: GVCCC Request#: 2843

Completion Date: